

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	168	isolat\$4 with execution with (unit or module or component)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 13:28
S2	1	isolat\$4 with execution with (unit or module or component) same rmi	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/10 17:27
S3	13	isolat\$4 with execution with (unit or module or component) and rmi	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 13:30
S4	1	isolat\$4 near execution near (unit or module or component) and rmi	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 13:30
S5	2	isolat\$4 near execution near (unit or module or component)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 13:30
S6	199	(virtual adj machine or unix adj process or browser) same (mediat\$4 or intermed\$4 or interface or proxy or stub) same (remote adj (method or procedure) or rmi)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 13:32
S7	72	(virtual adj machine or unix adj process or browser) with (mediat\$4 or intermed\$4 or interface or proxy or stub) same (remote adj (method or procedure) or rmi)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 14:23
S8	6	(virtual adj machine or unix adj process or browser) with (remote adj (method or procedure) or rmi) near3 (adapt\$4 or socket)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 14:53
S9	17	(virtual adj machine or unix adj process or browser) same (remote adj (method or procedure) or rmi) near3 (adapt\$4 or socket)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 14:29
S10	27	("5123017" "5307354" "5379448" "5499340" "5577197" "5590056" "5621892" "5768119" "5768523" "5768524" "5781737" "5805785" "5809238" "5822543" "5844808" "5855550" "5864535" "5864653" "5867659" "5870724" "5872784" "5878326" "5889863" "5958010" "6144993" "6343295" "6671724").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2004/12/08 14:32
S11	0	("6754704") URP.N	USPAT	AND	ON	2004/12/08 14:34
S12	4	JRMP	USPAT	AND	ON	2004/12/08 14:35
S13	6	Java adj; Remote adj; Method adj; Protocol	USPAT	AND	ON	2004/12/08 14:35

S14	838	(719/328).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:35
S15	400	(719/313).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:35
S16	307	(718/1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 14:35
S17	2	("6327624").URPN.	USPAT	AND	ON	2004/12/08 14:52
S18	9	("5021949" "5063500" "5649101" "5754830" "5907678" "5931913" "5954798" "5958013" "5964836").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2004/12/08 14:53
S19	32	(virtual adj machine or process or browser or isolat\$4 adj2 unit) with (remote adj (method or procedure) or rmi) near3 (adapt\$4 or socket or mediat\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 15:13
S20	31	S19 and (((@ad < "20011031") or (@prad < "20011031") or (@riad < "20011031"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/09 18:23
S21	90	(virtual adj machine or process or browser or isolat\$4 adj2 unit) with (remote adj (method or procedure) or rmi) near3 (adapt\$4 or socket or mediat\$4 or interface)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 15:13
S22	82	S21 and (((@ad < "20011031") or (@prad < "20011031") or (@riad < "20011031"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 15:14
S23	51	S22 not S20	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 15:14
S24	21	RMI with server with object with socket	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 15:29
S25	2	browser with applet with (interface or mediat\$4 or intermed\$4 or socket or adapt\$4 or connect\$4) same (protocol) same (rmi or remote adj method)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 15:31
S26	10	browser with applet with (interface or mediat\$4 or intermed\$4 or socket or adapt\$4 or connect\$4) same (rmi or remote adj method)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 15:31

S27	4	("6539422").URPN.	USPAT	AND	ON	2004/12/08 15:34
S28	33	("4801786" "4825058" "5034598" "5052020" "5070536" "5121342" "5218188" "5261079" "5295154" "5309352" "5322991" "5349678" "5365546" "5404493" "5418684" "5425051" "5440564" "5471596" "5572512" "5577229" "5586281" "5604516" "5623603" "5979757" "5999948" "6027024" "6073169" "6178426" "6199753" "6243105" "6308205" "6321991" "6321992").PN	US-PGPUB; USPAT; USOCR	AND	ON	2004/12/08 16:07
S29	55	((remote adj method adj invocation) or rmi).ab.	US-PGPUB; USPAT; USOCR	AND	ON	2004/12/08 16:08
S30	75	JAVA with RMI with server with object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 17:18
S31	14	JAVA with RMI with server with object same (translat\$4 or conver\$4 or format\$4 or marshal\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 17:30
S32	7	(RMI or (remote adj method)) with server with object same (translat\$4 or conver\$4 or format\$4 or marshal\$4) same (link or path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 17:30
S33	17	(RMI or (remote adj method)) with server with object same (translat\$4 or conver\$4 or format\$4 or marshal\$4) same (link or path or session or connection)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 18:26
S34	277	(RMI or (remote adj method)) with object with server	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 17:41
S35	96	(RMI or (remote adj method)) with object with server same (protocol or socket)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 17:45
S36	27	(RMI or (remote adj method)) with object with server same (protocol or socket) same (translat\$4 or conver\$4 or format\$4 or map\$4 or marshal\$4 or unmarshal\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 17:47
S37	52	xlet	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 17:47
S38	15	xlet same.java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 17:57

S39	737	browser with (applet or servlet or xlet) with (interface or socket or adapt\$4 or connector or proxy or stub)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 17:59
S40	112	browser with (applet or servlet or xlet) with (interface or socket or adapt\$4 or connector or proxy or stub) same (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 18:00
S41	93	S40 and ((@ad < "20011031") or (@prad < "20011031") or (@riad < "20011031"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 18:06
S42	32	browser with (applet or servlet or xlet) near3 (interface or socket or adapt\$4 or connector or proxy or stub) same (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 18:00
S43	54	(rmi or (remote adj method adj invocation)) same client same (server with object) same (browser or virtual adj machine)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 18:06
S44	41	S43 and ((@ad < "20011031") or (@prad < "20011031") or (@riad < "20011031"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 18:19
S45	37	("6016496").URPN.	USPAT	AND	ON	2004/12/08 18:17
S46	15	("5295265" "5307490" "5630042" "5687373" "5696901" "5724406" "5761663" "5764915" "5764977" "5768510" "5828843" "5832226" "5857102" "5857197" "5889957").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2004/12/08 18:18
S47	2	("6633923").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 18:19
S48	53	(RMI or (remote adj method)) with server with object same (translat\$4 or conver\$4 or format\$4 or marshal\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/08 18:27
S49	37	("6016496").URPN.	USPAT	AND	ON	2004/12/08 18:27
S50	2	("6233619").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:35
S51	2	("6167464").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:35
S52	5	("5850187" "5867110" "5907491" "5911774" "5950148").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2004/12/09 12:36

S53	54	(RMI or (remote adj method)) with server with object same (translat\$4 or conver\$4 or format\$4 or marshal\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/09 18:22
S54	29	S53 and ((@ad < "20011031") or (@prad < "20011031") or (@rlad < "20011031"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/09 18:23
S56	2	isolat\$3 adj execution adj unit	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 18:27
S57	1	isolat\$4 with execution with (unit or module or component or domain or space) same rmi	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/10 09:47
S58	14	isolat\$4 with execution with (unit or module or component or domain or space) and (rmi or (remote adj method adj invocation))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/10 09:57
S59	12	S58 and ((@ad < "20011031") or (@prad < "20011031") or (@rlad < "20011031"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:48
S60	10	("5924098" "5946487" "6066181" "6108754" "6138238" "6141794" "6321298" "6345313" "6374286" "6453460").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 09:51
S61	2	("6567974").URPN.	USPAT	OR	ON	2004/12/10 09:54
S62	103	isolat\$4 near2 (unit or module or component or domain or space) and (rmi or (remote adj method adj invocation))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/10 09:59
S63	57	isolat\$4 near2 (unit or module or component or domain or space) and (rmi or (remote adj method adj invocation)) and applet	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/10 10:02
S64	20	(jvm or (java adj virtual adj machine)) with (run\$4 or execut\$4) adj5 (multiple or multi or plurality) adj5 (program or application or process)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	AND	ON	2004/12/10 10:04
S65	15	S64 and ((@ad < "20011031") or (@prad < "20011031") or (@rlad < "20011031"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:05
S66	127	((Java adj Remote adj Method adj Invocation) or RMI).ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:49

S67	100	S66 and ((@ad < "20011031") or (@prad < "20011031") or (@rlad < "20011031"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:49
S68	42	((Java adj Remote adj Method adj Invocation) or RMI same object). ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:49
S69	30	S68 and ((@ad < "20011031") or (@prad < "20011031") or (@rlad < "20011031"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:02
S70	7	((("6529962") or ("6496865") or ("6487607"))).PN	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 11:02
S71	3	("6487607").URPN.	USPAT	OR	ON	2004/12/10 11:14
S72	17	(US-20020161894-\$ or US-20030149967-\$ or US-20020138665-\$).did. or (US-6480882-\$ or US-6493768-\$ or US-6539422-\$ or US-6542908-\$ or US-6571252-\$ or US-6609158-\$ or US-6636831-\$ or US-6691122-\$ or US-6754704-\$ or US-6567974-\$ or US-6513158-\$ or US-6529962-\$ or US-6496865-\$ or US-6728788-\$).did.	US-PGPUB; USPAT	OR	ON	2004/12/10 14:03
S73	10	S72 and (path or connection or session) and (conver\$4 or translat\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 15:29
S74	5	inter with isolation with communication same object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 15:31
S75	19	inter with isolation with communication and (remote with (procedure or method or call))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 15:32